FENCE WOR≯

FOXHILL FOCKET Guide

Fences

Lightweight, yet extremely strong, Urban Group's fencing looks good and brings peace of mind. Our fences are fabricated with welded construction for optimum strength and available powder-coated in any colour. Whether it's curved, raked or stepped, your dream fence is easy to achieve.

*All Ex-stock gates and panels are powder coated BLACK SATIN but can be recoated any colour on request. Additional costs apply.





Premier



Maximus



Assure



Specifications

- Height: 1200mm
- Width: 2400mm
- Horizontals: 38 x 25mm
- Verticals: 16mm diameter, 89mm gaps
- **Post:** 50mm²
- Raking panels available: No

Specifications:

- Height: 1000mm, 1200mm
- Width: 2400mm
- Horizontals: 40mm²
- Verticals: 19mm², 91mm gaps
- Post: 50mm² or 65mm²
- Raking panels available: Yes

Specifications:

- Height: 1200mm
- Width: 2400mm
- Horizontals: Top 50mm², Bottom 40mm²
- Verticals: 19mm², 91mm gaps
- Post: 65mm² steel post
- Raking panels available: Yes

Specifications:

- Height: 1200mm, 1500mm, 1750mm
- Width: 2400mm
- Horizontals: 38x25mm
- Verticals: 19mm², 80mm gaps
- Post: 50mm² or 65mm²
- Raking panels available: Yes



Fresno







Secura



Assure HD



Specifications:

- Height: 1800mm
- Width: 700mm, 1200mm or 2000mm
- Horizontals: 65mm x 16 slats, 20mm gaps
- **Post:** 65mm²
- Raking panels available: No

Specifications:

- Height: 1200mm
- Width: 2400mm
- Horizontals: 40mm²
- Verticals: 65mm x 15 fins
- Post: 100x25mm RHS
- Raking panels available: No

Specifications:

- Height: 1800mm, 2100mm
- Width: 2350mm
- Horizontals: 40mm²
- Verticals: 25mm², 99mm gaps
- **Post:** 65mm²
- Raking panels available: Yes

Specifications:

- Height: 1500mm, 1800mm
- Width: 2350mm
- Horizontals: 40mm²
- Verticals: 25mm², 99mm gaps
- **Post:** 65mm²
- Raking panels available: Yes

Ex-Stock Gates

When time is money, choose a design from our standard gate range. These are designed to compliment our fencing products to ensure you can take delivery promptly at a competitive price.

Each of the designs are based on standard templates and can be swinging or sliding.

Plain



• Height: 1200mm • Width: 900mm

Specifications

- Horizontals: 38 x 25mm
- Verticals: 16mm diameter, 89mm gaps
- Post: 50mm²
- Models: Pedestrian

Fresno



Specifications:

- Height: 1200mm, 1500mm, 1750mm
- Width: 1000mm
- Horizontals: 65mm x 16 slats, 20mm gaps
- **Post:** 65mm²

Specifications:

• Post: 65mm²

• Width: 1200mm

• Horizontals: 40mm²

• Models: Pedestrian

• Height: 1800mm, 2100mm

• Verticals: 25mm², 99mm gaps

• Models: Pedestrian

Premier



Specifications:

- Height: 1000mm, 1200mm
- Width: 960mm
- Horizontals: 40mm²
- Verticals: 19mm², 91mm gaps
- Post: 50mm² or 65mm²
- Models: Pedestrian

Assure



Specifications:

- Height: 1200mm, 1500mm, 1750mm
- Width: Adjustable 1170mm, double swing 4000mm
- Horizontals: 38x25mm
- Verticals: 19mm², 80mm gaps
- Post: 50mm² or 65mm²
- Models: Pedestrian, double swing including adjustable options



Assure HD



Specifications:

- Height: 1500mm, 1800mm
- Width: 1200mm
- Horizontals: 40mm²
- Verticals: 25mm², 99mm gaps
- **Post:** 65mm²
- Models: Pedestrian

Secura





StabiWood

StabiWood is a modern solution for fencing & decking in New Zealand. StabiWood fencing & decking looks like natural wood but is UV resistant and made from recycled wood fibre and recycled plastic.

StabiFence

- 90% Recycled & 10 year warranty
- UV Stable
- Sold as 1800mm panels (end posts required)

Solid Fence

- Height: 1200mm, 1400mm, • 1600mm, 1800mm, 2000mm
- Width: 1800mm ٠
- Posts: 2700 x 68mm² posts ٠
- Board height: 200mm ٠



Slat Option

• Vandal Resistance

• No/Low Maintenance

- Height: 1200mm, 1400mm, •
- 1600mm, 1800mm, 2000mm ٠
- Width: 1800mm panels •
- Slats: Two slats with spacer 200mm •
- Posts: 2700 x 68mm² posts •



StabiFence Colours



Black



Grey



StabiGate




- StabiFence infills
- Powder Coated Aluminium Gate
- Hardware included



StabiDeck

- 90% Recycled & 10 year warranty
- UV Stable
- Supplied 4.8m lengths
- Slip tested

• Splinter free





Standard Deck

- Length: 4800mm ٠
- Thickness: 19mm ٠
- Width: 140mm ٠
- Gaps: 3mm or 5mm •
- Concealed fixings •
- All hardware supplied •



Large/Complex Deck

- Same board dimensions as standard
- Board layout supplied including • edging and picture frame suggestions
- Concealed fixings ٠
- All hardware supplied •



Rustic Boards

Bevelled edge ٠

Classic Boards

•

٠

٠

٠


Square Edge

Smooth and tread faces

Homogenous colour

Trim to create edge boards

- Smooth and textured faces .
- Edge board available •
- Two tone timber enhanced ٠ grain effect





Dark Grey




Traditional Gates

- Custom range of gates available
- Made to suit a wide variety of properties in durable aluminium
- Powder coated in your choice of colour




- Choose from swinging, sliding or automated
- Stay timeless there's a reason it's called 'classic' design






































Panel Gates



Louvre Gates

		- Internal
		ſ
		ł
		2
P. Stores	And in case of the local division of the loc	

- Architectural design ensures strong yet subdued aesthetic
- Built-tough dependability and durability
- When you want (or need) total privacy from neighbours
- Perfectly compliment garage doors and other similar design features
- Ideal for both residential and commercial applications

TGV Gates



- Low-maintenance aluminium tongue and ٠ groove fabricated, powder coated and ready to install
- Light in weight but heavy-duty in strength, won't warp or rot like timber
- Matches perfectly with wooden paling fences and solid walls
- Can be horizontally or vertically mounted

Laser Cut Gates



- Create a one of a kind gate with a precision cut design
- Bold, beautiful and totally customizable
- Privacy without compromising individual style
- Low maintenance aluminium

- Because first impressions last
- Bold, beautiful and adaptable in ٠ aesthetic look
- Protect privacy without ٠ compromising style
- ٠ Ideal for both contemporary and traditional homes
- Powder coated in your colour choice, swinging, sliding or automated

Fresno Gates



- Delivering equal amounts privacy and personality
- Obscures view for added privacy
- Gaps for slats can be customised to suit the application light permeable or not
- Sliding gates have hidden wheels to give a low profile finish

Automation

Urban Group NZ have partnered with quality, automation manufacturers to give you the product depth for every scenario. These Italian manufacturers are committed to providing innovative products with the highest level of quality and are chosen as they manufacture automation products "in-house".

Our wide range of products means that you will have a solution fit for purpose for your project.

Features:

- Encoder technology to provide obstacle detection for an enhanced level of safety
- Now with the flexibility to operate gate by smartphone "app"
- Compatible to run on solar power systems
- Optional battery back up solution available to provide peace of mind in the event of power issues









V2 GO App is now available for free download

With V2 GO you can ...

- Remotely manage all your automations even when you are not at home. Not only check their status, but also control them! (Open, close, stop, activate the pedestrian opening, etc.)
- Enter your home without lifting a finger. By using the geolocation from your smartphone, V2 GO knows where you are and will open the chosen automation for you when you approach it, saving your time.
- Check at any time who comes and goes. The App lets you manage all your accesses by giving specific time slots to who you want, when you want.
- Set up programmed scenarios to be run anytime you want. Forget about your daily operations: with V2 GO you can open or close automatically your automations by day and time (For example: open the gate from 9.00 to 18.00, Monday to Friday)

Download the free V2 GO Application from the official stores (Google Play, Apple App Store)

To use the App, you need to connect your V2 control boards using the New ADI WIFI TOOL WF-01 code 161230



FENCE WOR €

FOXHILL

Jamie Beer 021 193 6331 info@fenceworxfoxhill.com